

- DEMOLITION NOTES**
1. ALL EXISTING STORM MANHOLES AND CATCH BASINS NOTED TO BE REMOVED SHALL BE EXCAVATED AND REMOVED. FUSE AND ABANDON STORM SEWER PIPE AT ENDS UNLESS PROPOSED TO BE USED.
 2. CONTRACTOR IS TO FIELD VERIFY EXISTING UTILITY LOCATIONS AND ELEVATIONS PRIOR TO DEMOLITION. SOME UTILITIES MAY NOT BE SHOWN.
 3. ALL EROSION CONTROL MEASURES SHALL BE REINSTALLED PRIOR TO DEMOLITION.
 4. COORDINATE A RELEASE FROM THE ELECTRIC, GAS AND TELEPHONE SERVICES PRIOR TO DEMOLITION.
 5. NO WATER IS TO BE USED FROM A FIRE HYDRANT FOR DUST CONTROL WITHOUT A WATER METER, A BACKFLOW PREVENTER, AND WATER DEPARTMENT APPROVAL.
 6. ALL ADJOINING PUBLIC AND PRIVATE PROPERTY SHALL BE PROTECTED FROM DAMAGE CAUSED BY THE SITE DEMOLITION.
 7. ALL WASTE MATERIALS SHALL BE REMOVED IN A MANNER THAT PREVENTS HARMFUL OR DAMAGE TO PERSONS, ADJOINING PROPERTIES, AND/OR RIGHT-OF-WAYS.
 8. ALL WASTE MATERIALS SHALL BE DISPOSED OFFSITE IN AN APPROVED FACILITY.
 9. THE SITE SHALL BE GRADED TO PREVENT THE ACCUMULATION OF WATER OR DAMAGE TO ANY FOUNDATIONS ON THE PREMISES OF ADJOINING PROPERTY.

LEGEND

■ PAVEMENT AND SIDEWALK TO BE REMOVED

NO.	DATE	REVISIONS
1	06/27/19	ISSUED FOR PERMITS



ADVANTAGE
CONSULTING ENGINEERS
80 JAMES STREET, SUITE 17 - LEANOR, ILLINOIS 60439
(773) 684-3292



DEMOLITION PLAN
NAPERVILLE HUMANE SOCIETY
1620 WALL STREET
NAPERVILLE, ILLINOIS

RWE MANAGEMENT COMPANY
16W361 S. FRONTAGE ROAD, SUITE 106
BURR RIDGE, ILLINOIS 60527

JULY 12, 2019
JOB: 19-032
SHEET:
DM1
3 OF 11



- GEOMETRIC NOTES**
1. ALL DIMENSIONS ARE TO FACE OF CURB OR OUTSIDE FACE OF BUILDING.
 2. INSTALL 4\"/>
 3. ALL RAIN ARE 3-FT UNLESS NOTED OTHERWISE.
 4. ALL PAVEMENT MARKINGS SHALL BE 4-INCH YELLOW PAINT UNLESS NOTED OTHERWISE, OR AS PROVIDED FOR ON THE DETAILS.
 5. THE CROSS SLOPE ON ALL SIDEWALKS SHALL NOT EXCEED 1.2%.
 6. FOUNDATION, STAIR AND DOORWAY LOCATIONS SHOWN FOR REFERENCE ONLY. REFER TO PLANS BY ARCHITECT FOR EXACT DIMENSIONS AND LOCATIONS.

- SIGN LEGEND:**
- Ⓢ HANDICAP SIGN WITH \$350 FINE SIGN

IMPERVIOUS AREA SUMMARY	
EXISTING CONDITION IMPERVIOUS AREA (3/14/2018)	= 26,125 SF
PROPOSED CONDITION IMPERVIOUS AREA	= 24,925 SF
NET(REDUCT)	= -1,200 SF
PUMP AND DETENTION VOLUME NOT REQUIRED	

NO.	DATE	REVISED FOR IMPALLE
1	06/29/19	REVISED FOR IMPALLE
2	09/29/19	REVISED FOR IMPALLE
ADVANTAGE CONSULTING ENGINEERS 80 JAHN STREET, SUITE 17, LEWIS, ILLINOIS 60439 (708) 264-2378		
GEOMETRIC PLAN NAPERVILLE HUMANE SOCIETY 1620 WALL STREET NAPERVILLE, ILLINOIS		
RWE MANAGEMENT COMPANY 16W361 S. FRONTAGE ROAD, SUITE 106 BURR RIDGE, ILLINOIS 60527		
JULY 12, 2019 JOB: 19-032 SHEET: L1 4 OF 11		