



Click image to open Product Page

Luminaire Schedule									
Symbol	Qty	Label	Arrangement	Description	LLB	UDF	LLF	Arr. Lum. Lumens	Arr. Watts
	10	A	SINGLE	MRM-LEB-12L-SIL-FT-50-70CRI-IL-SINGLE-22'MH	1.000	1.000	0.920	8445	94
	2	B	SINGLE	MRM-LEB-07L-SIL-3-50-70CRI-IL	1.000	1.000	0.920	5716	53

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
ALL POINTS AT GRADE 5'X5'	Illuminance	Fc	1.13	4.0	0.0	N.A.	N.A.
PROPERTY LINE	Illuminance	Fc	0.03	0.14	0.00	N.A.	N.A.
PARKING SUMMARY_2	Illuminance	Fc	2.41	4.0	1.0	2.41	4.00

Based on the information provided, all dimensions and luminaire locations shown represent recommended positions. The engineer and/or architect must determine the applicability of the layout to existing or future field conditions.

This lighting plan represents illumination levels calculated from laboratory data taken under controlled conditions in accordance with The Illuminating Engineering Society (IES) approved methods. Actual performance of any manufacturer's luminaires may vary due to changes in electrical voltage, tolerance in lamps/LED's and other variable field conditions. Calculations do not include obstructions such as buildings, curbs, landscaping, or any other architectural elements unless noted. Fixture nomenclature notes does not include mounting hardware or poles. This drawing is for photometric evaluation purposes only and should not be used as a construction document or as a final document for ordering product.

Total Project Watts
Total Watts = 1046



LIGHTING PROPOSAL LD-146081-4

353 HAUDE AVE
WATERVILLE, IL

DATE: 08/26/2020 10:00 AM
SCALE: 1"=20'
SHEET 1 OF 1