


Naperville Riverwalk Bench



VS VICTOR STANLEY, INC.
Manufacturers of Quality Site Furnishings since 1962.

P.O. DRAWER 330 - DUNKIRK, MD 20754 USA
TOLL FREE: (800) 368-2573 (USA & CANADA)
TEL (301) 855-8300 - FAX (410) 257-7579
WEB SITE: [HTTP://WWW.VICTORSTANLEY.COM](http://www.victorstanley.com)



AVAILABLE OPTIONS:
POWDER COATING
10 STANDARD COLORS, CUSTOM COLORS (INCLUDING THE RAL RANGE)
SLAT TYPES
WOODS: PHILIPPINE MAHOGANY AND IPE
2nd SITE SYSTEMS REINFORCED RECYCLED PLASTIC SLATS
COLORS: GRAY, MAPLE, CHERRY, AND WALNUT
(NOT AVAILABLE IN 8-FOOT LENGTHS)

CENTER-TO-CENTER DISTANCES ARE APPROXIMATE
(VARIATIONS IN CASTINGS ARISE FROM DIFFERENT RATES OF COOLING)

INTERMEDIATE & CENTER ARMRESTS
4', 6', & 8' AVAILABLE WITH OPTIONAL ARMRESTS
LENGTHS
STANDARD 4'
STANDARD 6' LENGTH SHOWN
STANDARD 8'


NOTES:

1. DUCTILE IRON CASTINGS COME WITH A TEN YEAR WARRANTY AGAINST BREAKAGE.
2. DRAWING NOT TO SCALE. DO NOT SCALE DRAWINGS.
3. ALL FABRICATED METAL COMPONENTS ARE STEEL, SHOTBLASTED, ETCHED, PHOSPHATIZED, PREHEATED, AND ELECTROSTATICALLY POWDER-COATED WITH T.G.I.C. POLYESTER POWDER COATINGS. PRODUCTS ARE FULLY CLEANED AND PRETREATED, PREHEATED AND COATED WHILE HOT TO FILL CRENCES AND BUILD COATING FILM. COATED PARTS ARE THEN FULLY CURED TO COATING MANUFACTURER'S SPECIFICATIONS. THE THICKNESS OF THE RESULTING FINISH AVERAGES 8-10 MILS (200-250 MICRONS).
4. IT IS NOT RECOMMENDED TO LOCATE ANCHOR BOLTS UNTIL BENCH IS IN PLACE. THIS VICTOR STANLEY, INC. PRODUCT MUST BE PERMANENTLY AFFIXED TO THE GROUND. CONSULT YOUR LOCAL CODES FOR REGULATIONS.
5. ANCHOR BOLTS NOT PROVIDED BY VICTOR STANLEY, INC.
6. FOR HIGH SALT ABUSIVE CLIMATES, HOT DIP GALVANIZING BEFORE POWDER COATING IS AVAILABLE. SEE WRITTEN SPECIFICATIONS FOR DETAILS.
7. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE. CONTACT MANUFACTURER FOR DETAILS.
8. THIS PRODUCT IS SHIPPED PARTIALLY UNASSEMBLED.



STANDARD BENCH WITH DUCTILE IRON END FRAMES
SHOWN: STANDARD 6-FOOT LENGTH

ADA Compliance for Outdoor Benches



To be ADA compliant in public parks, benches must feature a seat height of 17 to 19 inches, full back support, and armrests for assistance. They require an adjacent, firm, and level wheelchair space (minimum 30" × 48") and must connect directly to an accessible park pathway. [1, 2]

Key Accessibility Requirements

The United States Access Board guidelines require specific design elements for public outdoor seating: [1, 2]

- **Seat Height:** 17 to 19 inches from the ground.
- **Back Support:** Must extend the full length of the seat.
- **Armrests:** Must be included to assist users in sitting down and standing up.
- **Clear Space:** A level, firm area of at least 30" by 48" adjacent to the bench for wheelchair transfer.
- **Accessible Routes:** The bench must be safely integrated into the park's walking paths. [1, 2, 3]

Where to Source ADA Benches

Several manufacturers specialize in durable, outdoor ADA-compliant park benches using weather-resistant and recycled materials: [1]

- **Polly Products:** Offers the [Traditional ADA Benches](#), which feature a deep seat and customizable colors made from 100% recycled plastic. [1, 2, 3, 4]
- **Signature Streetscapes:** Provides the [ADA Compliant Park Bench](#) line, which comes in 4-foot to 8-foot lengths and features full head, neck, and back support. [1, 2, 3, 4]

<https://signaturestreetscapes.com/collections/ada-compliant-park-benches/products/traditional-ada-compliant-park-bench?variant=42076996698307>



Product Code: ASM-TB4HA

TRADITIONAL ADA COMPLIANT PARK BENCH

\$839.00

Usually Ships within 4 Weeks

Shipping calculated at checkout.

ALL SALES FINAL

The Traditional ADA Bench embraces the recommendations set forth in the United States Access Boards' Guidelines and Standards. The 18¾" seat height and arms are helpful to mature guests and everyone with limited mobility when sitting down and rising to stand again. The seat is extra deep and the taller (21"), seat back provides additional full support for the back, head, and neck.





- **Pilot Rock:** Manufactures the [B110 Series Accessible Bench](#), which incorporates a full-length grab bar across the back to assist with wheelchair transfers. [1]

Bench available conforming with Buy America requirements...




DuMor

Bench 490



LENGTH OPTIONS

- ☐ 6' BENCH
- ☐ 8' BENCH

NOTES

- 1.) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.
- 2.) $\frac{1}{2}" \times 3 \frac{3}{4}"$ EXPANSION ANCHOR BOLTS PROVIDED.

WOOD OPTIONS

- ☐ 'C' & BTR. DOUGLAS FIR KD S4S EE
- ☐ IPE S4S EE
- ☐ OTHER _____

DuMor, Inc.

BENCH

DATE DRAWN : 09/11/15
 DRAWN BY : RDH
 DATE REV. :
 REV. BY :

REV.
 A

DRAWING
 NUMBER

490 SERIES

SHEET
 1 OF 2