


PRELIMINARY ENGINEERING PLAN FOR WAGNER FARMS

PART OF THE SOUTHWEST QUARTER OF SECTION 10, TOWNSHIP 37 NORTH,
RANGE 9 EAST OF THE THIRD PRINCIPAL MERIDIAN, IN WILL COUNTY, ILLINOIS.



LOCATION MAP

BENCHMARKS/CONTROL POINTS

ELEVATION REFERENCE MARKS

RM1-NAPERVILLE SURVEY MON. #1503. BERNSTEN 3D TOP SECURITY MONUMENT, CONSISTING OF A 9/16" DIA. STAINLESS STEEL DATUM POINT ON THREADED 9/16" X 4' LONG ROD TOTALING (8') IN LENGTH WITH GREASED TOP SECURITY SLEEVE ENCLOSED IN SAND AND 6" PVC PIPE WITH BMAC 6 ALUMINUM ACCESS COVER. ELEVATION=670.06 (NAVD 88)

RM2-NAPERVILLE SURVEY MON. #1002. BERNSTEN 3D TOP SECURITY MONUMENT, CONSISTING OF A 9/16" DIA. STAINLESS STEEL DATUM POINT ON THREADED 9/16" X 4' LONG ROD TOTALING (24') IN LENGTH WITH GREASED TOP SECURITY SLEEVE ENCLOSED IN SAND AND 6" PVC PIPE WITH BMAC 6 ALUMINUM ACCESS COVER. ELEVATION=667.49 (NAVD 88)

(HELD ABOVE BENCHMARKS AS THE BASIS OF VERTICAL DATUM FOR PROJECT)

CP 102 - CROSS CUT IN TOP OF CURB ADJACENT TO FIRE HYDRANT AT END OF FALCON DRIVE ON WEST SIDE OF ROAD. ELEV: 664.395 NAVD 88

CP 113 - CUT CROSS IN CENTERLINE HEADWALL OF TRIPLE 21" RCP AT THE NORTHEAST CORNER OF ROUTE 59 & 103RD STREET. ELEV: 668.19 NAVD88

CP 104 - CUT CROSS IN CENTERLINE OF THE END OF THE CONCRETE WALK AT SOUTHEAST CORNER OF SITE. ELEV: 668.25 NAVD88



SITE DATA

A. TOTAL AREA	114.28 AC. ±	100%
B. PROPOSED ZONING	R2	
C. EXTERNAL R.O.W. (103RD STREET) (ROUTE 59)	2.04 AC. ±	1.79%
D. INTERNAL R.O.W.	0.68 AC. ±	
E. COMMON OPEN SPACE (STORMWATER MANAGEMENT/OPEN SPACE & LANDSCAPE BUFFERS)	23.98 AC. ±	20.98%
F. CHURCH SITE	21.94 AC. ±	19.20%
G. NET RESIDENTIAL (DETACHED)	8.05 AC. ±	7.04%
H. NO. OF LOTS (DETACHED)	58.27 AC. ±	
I. MINIMUM LOT SIZE	312	
J. MAXIMUM LOT SIZE	6,838 S.F.	50.99%
K. AVERAGE LOT SIZE	20,065 S.F.	
L. FRONT YARD SETBACK	8,146 S.F.	
M. CORNER SIDE YARD SETBACK	25 FT.	
N. INTERIOR SIDE YARD SETBACK	15 FT.	
O. REAR YARD SETBACK	6' MIN. w/COMBINED 16' TOTAL	
P. GROSS MODIFIED DENSITY	25 FT.	
	2.78 DU/AC.	

LEGEND

EXISTING PROPOSED DESCRIPTION

	MANHOLE
	CATCH BASIN
	INLET
	CLEANOUT
	SLOPE INLET BOX
	HEADWALL
	END SECTION
	STORM SEWER
	SANITARY SEWER
	WATERMAIN
	VALVE & BOX
	WATER VALVE IN VAULT
	FIRE HYDRANT
	CONTOURS
	ELEVATIONS
	STREET LIGHT
	WATERMAIN PROTECTION
	SILT FENCE INLET PROTECTOR
	TEMPORARY STRAW BALE DITCH CHECK
	SILT FENCE DITCH CHECK
	RIP-RAP
	OVERFLOW ROUTE



NOTES

DIMENSIONS SHOWN ALONG CURVED LINES ARE ARC DISTANCES.

ALL RIGHT-OF-WAYS ARE TO BE PUBLIC DEDICATIONS.

ALL STREETS, UTILITY PIPES AND MAINS SHALL BE PUBLICLY OWNED AND MAINTAINED.

STORMWATER STORAGE VOLUMES TO BE PROVIDED AND THE DESIGN OF STORMWATER MANAGEMENT FACILITIES SHALL BE IN ACCORDANCE WITH CITY OF NAPERVILLE AND WILL COUNTY REQUIREMENTS.


UNLESS OTHERWISE NOTED ALL WATERMAIN AND SANITARY SEWER TO BE 8" DIAMETER.

ALL SANITARY SERVICE CONNECTIONS TO SANITARY SEWER MAINS MUST HAVE AN OVERHEAD SEWER SYSTEM WITHIN THE BUILDING.


ANY TRAILS NOT IN PUBLIC RIGHT-OF-WAY WILL BE MAINTAINED BY THE HOME OWNERS ASSOCIATION.

APPROPRIATE SIGNAGE AND STRIPING WILL BE PROVIDED WITH THE FINAL ENGINEERING PLANS.


ANY EXISTING WELL AND SEPTIC FIELDS SHALL BE ABANDONED ACCORDING TO COUNTY HEALTH DEPARTMENT.




APPROXIMATE LIMITS OF PROPOSED ZONE A PER PRELIMINARY FIRM MAP 170213 0030 G




TYPICAL 28' B-B SECTION




TYPICAL 28' B-B SECTION - DAYBREAK DRIVE




TYPICAL BOULEVARD SECTION - PROVIDENCE BOULEVARD



TYPICAL BOULEVARD SECTION - DAYBREAK DRIVE



ASPHALT PATH DETAIL



TYPICAL 37' B-B SECTION
DAYBREAK DRIVE/FALCON DRIVE/PROVIDENCE BLVD.



PREPARED FOR:
PULTE HOME COMPANY, LLC
1900 E. GOLF ROAD, SUITE 300
SCHAUMBURG, IL 60173
(847) 230-5400

PREPARED BY:
CEMCON, Ltd.
Consulting Engineers, Land Surveyors & Planners
2280 White Oak Circle, Suite 100
Aurora, Illinois 60502-9675
PH: 630.862.2100 FAX: 630.862.2199
E-Mail: cadd@cemcon.com Website: www.cemcon.com

DISC NO.: 402109 FILE NAME: PREOVR
DRAWN BY: LAL FLD. BK. / PG. NO.: ----
COMPLETION DATE: 07-30-18 JOB NO.: 402.109
XREF: TOPO PROJECT MANAGER: CRM
10-12-18/LAL: REVISED PER CITY REVIEW COMMENTS DATED 9/5/18

PRELIMINARY ENGINEERING PLAN FOR WAGNER FARMS
CITY OF NAPERVILLE PROJECT NO. 18-10000087
SHEET 1 OF 5
Copyright © 2018 Cemcon, Ltd. All rights reserved.

PLOT FILE CREATED: 10/20/2018 BY: LESLIE LINDBERG DRAWING PATH: P:\402109\DWG\18-10000087\PRELIMINARY\PRELIM.DWG



STORMWATER MANAGEMENT FACILITY 001
 HWL = 677.0
 NWL = 671.0
 STORMWATER MANAGEMENT REQUIRED =
 5.53 AC/FT
 (WETLAND BOTTOM)

PROPOSED SITTING AREA
 (SEE LANDSCAPE PLAN
 FOR DETAILS)

10' ASPHALT
 PATH (TYP.)

STORMWATER MANAGEMENT FACILITY 002
 HWL = 666.7
 NWL = 661.0
 STORMWATER MANAGEMENT REQUIRED =
 11.72 AC/FT
 (WETLAND BOTTOM)

SENECA DRIVE TO BE CEMENT STABILIZED
 PER GEOTECHNICAL CONSULTANTS
 SPECIFICATIONS THROUGH BAD SOIL

CONNECT TO EXISTING
 30" STORM SEWER

PREPARED FOR:
 PULTE HOME COMPANY, LLC
 1900 E. GOLF ROAD, SUITE 300
 SCHAUMBURG, IL 60173
 (847) 230-5400


PREPARED BY:
CEMCON, Ltd.
 Consulting Engineers, Land Surveyors & Planners
 2280 White Oak Circle, Suite 100
 Aurora, Illinois 60502-9675
 PH: 630.862.2100 FAX: 630.862.2199
 E-Mail: cadd@cemcon.com Website: www.cemcon.com

DISC NO.: 402109 FILE NAME: PREVOR
 DRAWN BY: LAL FLD. BK. / PG. NO.: ----
 COMPLETION DATE: 07-30-18 JOB NO.: 402.109
 XREF : TOPO PROJECT MANAGER : CRM


PRELIMINARY ENGINEERING PLAN FOR WAGNER FARMS
CITY OF NAPERVILLE PROJECT NO. 18-10000087

PLOT FILE CREATED: 10/20/2018 BY: LESLIE LINDBERG DRAWING PATH: P:\402109\DWG\18-10000087\PRELIMINARY\PREVOR.DWG

SEE SHEET 2



80 40 0 80
SCALE: 1" = 80'



STORMWATER MANAGEMENT FACILITY 003
HWL = 666.6
NWL = 661.0
STORMWATER MANAGEMENT REQUIRED =
8.91 AC/FT
(WETLAND BOTTOM)

STORMWATER MANAGEMENT FACILITY 004
HWL = 666.6
NWL = 661.0
STORMWATER MANAGEMENT REQUIRED =
2.06 AC/FT
(WETLAND BOTTOM)

STORMWATER MANAGEMENT FACILITY 014
HWL = 661.0
NWL = 661.0
STORMWATER MANAGEMENT REQUIRED =
4.51 AC/FT
(WETLAND BOTTOM)

STORMWATER MANAGEMENT FACILITY 012
HWL = 666.7
NWL = 661.0
STORMWATER MANAGEMENT REQUIRED =
5.03 AC/FT
(WETLAND BOTTOM)

PREPARED FOR:
PULTE HOME COMPANY, LLC
1900 E. GOLF ROAD, SUITE 300
SCHAUMBURG, IL 60173
(847) 230-5400

PREPARED BY:
CEMCON, Ltd.
Consulting Engineers, Land Surveyors & Planners
2280 White Oak Circle, Suite 100
Aurora, Illinois 60502-9675
PH: 630.862.2100 FAX: 630.862.2199
E-Mail: codd@cemcon.com Website: www.cemcon.com


DISC NO.: 402109 FILE NAME: PREOVR
DRAWN BY: LAL FLD. BK. / PG. NO.: ----
COMPLETION DATE: 07-30-18 JOB NO.: 402.109
XREF : TOPO PROJECT MANAGER : CRM

PRELIMINARY ENGINEERING PLAN FOR WAGNER FARMS
CITY OF NAPERVILLE PROJECT NO. 18-10000087

SHEET 4 OF 5

Copyright © 2018 Cemcon, Ltd. All rights reserved.

NOTE:
PULTE TO MASS GRADE AND PROVIDE UTILITY AND ROADWAY STUBS TO CHURCH SITE.
COMPASS CHURCH TO DEVELOP OUTLOT M INDEPENDENTLY.





SEE LEFT

SEE RIGHT

SEE SHEET 5

PLOT FILE CREATED: 10/20/2018 BY: LESLIE LINDBERG DRAWING PATH: P:\402109\DWG\18-10000087\PRELIMINARY\PRELIM.DWG

SEE SHEET 4



SEE SHEET 4

SITE DATA	
A. TOTAL AREA	8.05 Ac.
PARKING REQUIREMENTS	
B. TOTAL AREA FIRST FLOOR: 28,000 S.F.	
WORSHIP CENTER:	600 SEATS
PARKING REQUIRED:	200 SPACES
CAFE:	5,000 S.F.
PARKING REQUIRED:	20 SPACES
TOTAL AREA SECOND FLOOR: 10,000 S.F.	
OFFICES:	10,000 S.F.
PARKING REQUIRED:	33 SPACES
TOTAL PARKING REQUIRED:	253 SPACES
TOTAL PARKING PROVIDED:	307
PARKING SURPLUS:	54 SPACES

NOTE:
 PULTE TO MASS GRADE AND PROVIDE UTILITY AND ROADWAY STUBS TO CHURCH SITE. COMPASS CHURCH TO DEVELOP OUTLOT M INDEPENDENTLY.

PREPARED FOR:
PULTE HOME COMPANY, LLC
 1900 E. GOLF ROAD, SUITE 300
 SCHAUMBURG, IL 60173
 (847) 230-5400

PREPARED BY:
CEMCON, Ltd.
 Consulting Engineers, Land Surveyors & Planners
 2280 White Oak Circle, Suite 100
 Aurora, Illinois 60502-9675
 PH: 630.862.2100 FAX: 630.862.2199
 E-Mail: codd@cemcon.com Website: www.cemcon.com

DISC NO.: 402109 FILE NAME: PREOVR
 DRAWN BY: LAL FLD. BK. / PG. NO.: ----
 COMPLETION DATE: 07-30-18 JOB NO.: 402.109
 XREF : TOPO PROJECT MANAGER : CRM

PRELIMINARY ENGINEERING PLAN FOR WAGNER FARMS
CITY OF NAPERVILLE PROJECT NO. 18-10000087

SHEET 5 OF 5

Copyright © 2018 Cemcon, Ltd. All rights reserved.

DETENTION REQUIRED
 IMPERVIOUS AREA = 5.10 Ac.
 (w/10% EXTRA)
 CURVE NO. 89.0
 DETENTION REQUIRED = 3.50 Ac.Ft.
 DETENTION PROVIDED ON-SITE = 2.00 Ac.Ft.
 SITE DETENTION PROVIDED IN SHARED BASIN = 1.50 Ac.Ft.

PLOT FILE CREATED: 10/20/2018 BY: LESLIE LINDBERG
 DRAWING PATH: P:\402109\DWG\DRAMA\DWG\PRELIMINARY\PREOVR.DWG