



SEE CIVIL DRAWINGS FOR LOCATION OF ENCLOSURE


C2 FOUNDATION PLAN
SCALE: 1/4" = 1'-0"




C3 FLOOR PLAN
SCALE: 1/4" = 1'-0"




C5 FRAMING PLAN
SCALE: 1/4" = 1'-0"




B6 ROOF PLAN
SCALE: 1/4" = 1'-0"



C6 CEILING PLAN
SCALE: 1/4" = 1'-0"




C7 FINISH PLAN
SCALE: 1/4" = 1'-0"



SIDE VIEW 1

GATE VIEW






SIDE VIEW 2

E2 ENCLOSURE ELEVATIONS
SCALE: 1/8" = 1'-0"

DOOR SCHEDULE									
DOOR:			FRAME:			REMARKS:			
NO.	WIDTH	HGT	MATL	TYPE	MATL	TYPE			
10	36"	84"	HM	G	HM	D	HOLLOW METAL DOOR		


- HARDWARE:**
- HARDWARE GROUP 6: (DOOR 10)
 - HINGES: MCKINNEY MCK-HG305
 - CONTINUOUS HINGE: SCHLAGE NDR8PD X RHO X 628X, KNURLLED
 - LOCK: IVES LG12, US32D
 - LOCK GUARD: IVES LG12, US32D
 - MISC: DRIP CAP - IVES 346C
- DOOR NOTES:**
- ALL DOOR CLOSERS SHALL COMPLY W/ ANSI SECTIONS 404.2.7 & 404.2.8 AND FBC ACCESSIBILITY
 - THE MAXIMUM REQUIRED FORCE TO OPEN INTERIOR HINGED DOORS SHALL BE 5.0 LBS. AND SLIDING OR FOLDING DOORS SHALL BE 5.0 LBS. FIRE DOORS SHALL HAVE THE MINIMUM ALLOWABLE OPENING FORCE ALLOWED BY THE AUTHORITY HAVING JURISDICTION.
 - ALL LOCKS AND LATCHES SHALL BE LEVER TYPE, EXCLUDING PANIC HARDWARE ON PUSH SIDE WHERE SCHEDULED.
 - ALL DOOR CONTROLS SHALL BE MOUNTED NO HIGHER THAN 48" ABOVE FINISHED FLOOR.
 - THRESHOLDS SHALL COMPLY W/ ANSI 404.2.4
 - REFER TO STANDARD MOUNTING HEIGHTS DETAIL FOR REQUIRED LOCATIONS OF HARDWARE AND SIGNAGE
 - HARDWARE SPECIFIED DEMONSTRATES DESIRED FUNCTIONS AND OPERATION. BLDG HARDWARE SUPPLIER SHALL COORDINATE OPERATIONS AND INSTALLATIONS AS REQD FOR COMPLETE AND OPERABLE SYSTEMS AT EACH OPENING.




H1 HINGE DETAIL
SCALE: 1 1/2" = 1'-0"




G2 SECT @ GATE MTG STILES
SCALE: 1 1/2" = 1'-0"




H4 SHED FRAMING
SCALE: 3/4" = 1'-0"




H5 FASCIA DETAIL
SCALE: 3/4" = 1'-0"



H6 ENCLOSURE WALL
SCALE: 3/4" = 1'-0"



G5 DETAIL
SCALE: 1 1/2" = 1'-0"




F1 CMU CONTROL JOINT
SCALE: 1 1/2" = 1'-0"



H2 HINGE BOLLARD
SCALE: 3/4" = 1'-0"



H3 BOLLARD
SCALE: 3/4" = 1'-0"



H7 ENCLOSURE GATE ELEV
SCALE: 1/2" = 1'-0"

© 2019

NEW CULVER'S RESTAURANT
1515 N. Naper Boulevard
Naperville, IL 60563
County of DuPage

Culver's
Culver Franchising System, Inc.
1240 Water Street
Prairie du Sac, WI 53578
608-643-1980

OWNER: RT 34 HOLDINGS, LLC
2781 Rt 34
Oswego, IL 60543
John and Beth Wilczak
630-215-7815

OLLMANN ERNEST MARTIN ARCHITECTS
200 South State Street
Belvidere, Illinois 61008
815-544-7790 Phone

© OEMA
All rights reserved; any copying, transmittal or disclosure subject to OEMA written approval.

GARBAGE DUMPSTER

Revision: _____
Date: 2-4-2019

2018-078

GD 101