Final Landscape Plan

Dutch Bros Coffee

Naperville, Illinois

June 27, 2025


CONSULTANTS:



LANDSCAPE ARCHITECT:

GARY R. WEBER ASSOCIATES, INC 402 W. LIBERTY DRIVE WHEATON, ILLINOIS 60187





LOCATION MAP

SCALE: 1"=100'


INDEX OF PLAN SHEETS

SHEET NO.	DESCRIPTION		
L1.0	COVER SHEET		
L1.1	LANDSCAPE PLAN		
L1.2	LANDSCAPE SPECS		

PL	ANT	LIST			PERIMETER LANDSCAPING: 620.62 LF CODE: 5-10-3-4
Key	Qty	Botanical/Common Name	Size	Remarks	1 DECIDUOUS OR 1 EVERGREEN TREE PE
		SHADE TREES			70 LF
AM	3	Acer miyabei 'Morton' STATE STREET MAPLE	2 1/2" Cal.		LANDSCAPE REQUIRED: 9 TREES
GT	1	Gleditsia triacanthos var. inermis 'Skycole SKYLINE HONEYLOCUST	' 2 1/2" Cal.		LANDSCAPE PROVIDED: 3 EXISTING TREES
ТС	2	Tilia cordata 'Greenspire' GREENSPIRE LITTLELEAF LINDEN	2 1/2" Cal.		2 SHADE TREE 6 ORNAMENTAL TREES 11 TREES TOTAL
		ORNAMENTAL TREES			
AG	6	Amelanchier x grandiflora APPLE SERVICEBERRY	6' Ht.	Clump Form	
MP	4	Malus 'Prairifire' PRAIRIFIRE CRABAPPLE	6' Ht.	Multi-Stem	
SR	1	Syringa reticulata 'Ivory Silk' IVORY SILK JAPANESE TREE LILAC	2" Cal.	Single Stem	
		DECIDUOUS SHRUBS			
AM	17	Aronia melanocarpa LOW SCAPE MOUND	24" Tall	3' O.C.	
HP	31	Hydrangea paniculata 'Ilvobo' BOBO HYDRANGEA	24" Tall	3 ¹ O.C.	
SM 11	11	Syringa meyeri 'Palabin' DWARF KOREAN LILAC	24" Tall	4' O.C.	
		EVERGREEN SHRUBS			
JB	6	Juniperus conferta 'Blue Pacific' BLUE PACIFIC JUNIPER	24" Wide	4' O.C.	
JS	4	Juniperus chinensis var. sargentii 'Viridis' GREEN SARGENT JUNIPER	24" Wide	5' O.C.	
TM	12	Taxus x media 'Densiformis' DENSE YEW	24" Wide	4' O.C.	
		ORNAMENTAL GRASSES			, X
CK	28	Calamagrostis x acutiflora 'Karl Foerster' FEATHER REED GRASS	#1	30" O.C.	
		PERENNIALS			
EC	57	Echinacea 'CBG Cone 2' PIXIE MEADOWBRITE CONEFLOWER	#1	18" O.C.	
HL	54	Hemerocallis 'Happy Returns' HAPPY RETURNS DAYLILY	#1	18" O.C.	
HR	114	Hemerocallis 'Rosy Returns' ROSY RETURNS DAYLILY	#1	18" O.C.	
		GROUNDCOVERS			
EF	328	Euonymus fortunei var. 'Coloratus' PURPLE WINTERCREEPER	#SP4	12" O.C.	
LS	26	Liriope spicata CREEPING LILYTURF	#SP4	18" O.C.	
		MISC. MATERIALS			
	20	SHREDDED HARDWOOD MULCH	C.Y.		
	0.14	TURF SEED \$ EROSION CONTROL BLANKET	AC.		

GENERAL LANDSCAPE NOTES

- 1. Contractor shall verify underground utility lines and is responsible for any damage.
- 2. Contractor shall verify all existing conditions in the field prior to construction and shall notify landscape architect of any variance.
- 3. Material quantities shown are for contractors convenience only. The Contractor must verify all material and supply sufficient materials to complete the job per plan.
- 4. The landscape architect reserves the right to inspect trees and shrubs either at place of growth or at site before planting, for compliance with requirements of variety, size and
- 5. Work shall conform to American Standard for Nursery Stock, State of Illinois Horticultural Standards, and Local Municipal requirements.
- 6. Contractor shall secure and pay for all permits, fees, and inspections necessary for the proper execution of this work and comply with all codes applicable to this work.
- 7. Any existing trees whose health is negatively impacted by proposed site improvements, either during or post construction shall be removed and replanted with a tree species approved by the City of Naperville's Forestry division.
- 8. See General Conditions and Specifications for landscape work for additional requirements.



AVOID PLACING SOIL OVER

ROOT CROWN. SET ROOT

BALL 3-6" HIGHER THAN

-2" SHREDDED HARDWOOD

SAUCER AROUND OUTSIDE.

BARK MULCH. FORM

FINISHED GRADE.

FINISHED GRADE

EXISTING SUBGRADE

DECIDUOUS AND EVERGREEN SHRUBS

NOT TO SCALE

PLANTING DETAILS

LEADER. DO NOT CUT CENTRAL LEADER. IF ROOT FLARE IS NOT EXPOSED, CAREFULLY REMOVE EXCESS SOIL. SET ROOT BALL SO THAT BASE OF ROOT FLARE IS 3-6" HIGHER THAN ADJACENT FINISH GRADE. -3" SHREDDED HARDWOOD BARK MULCH. FORM SAUCER AROUND OUTSIDE EDGE (1" AT BASE OF

TRUNK)

AT LEAST 2X ROOT BALL DIA. **DECIDUOUS TREES**

NOT TO SCALE


-PRUNE ONLY TO ENCOURAGE CENTRAL

-MAINTAIN EXPOSURE OF ROOT FLARE.

-FINISHED GRADE -EXISTING SUBGRADE

PLANTING PIT TO BE AT LEAST TWICE AS WIDE AS ROOT BALL

SCALE: 1"=20'



PERENNIALS AND GROUNDCOVERS **NOT TO SCALE**

-PLANT SPACING

AS PER PLAN

-2" SHREDDED

EXISTING SUBGRADE

LEAF MULCH

F805a

1" = 20

1.1 DESCRIPTION OF WORK

The work shall consist of furnishing, transporting and installing all seeds, plants and

- other materials required for: 1. The establishment of trees, shrubs, perennial, annual and lawn areas as shown on Landscape Plan;
- 2. The provision of post-planting management as specified herein; 3. Any remedial operations necessary in conformance with the plans as specified
- in this document; 4. The design, furnishing and installation of a complete underground sprinkler system; and
- 5. Permits which may be required

1.2 QUALITY ASSURANCE

- A. Work shall conform to State of Illinois Horticultural Standards and local municipal requirements.
- B. Quality Control Procedures:
- 1. Ship landscape materials with certificates of inspection as required by governmental authorities. Comply with governing regulations applicable to landscape materials.
- 2. Do not make substitutions. If specified landscape material is not obtainable, submit to Landscape Architect proof of non-availability and proposal for use of equivalent material.
- 3. Analysis and Standards: Package standard products with manufacturers certified analysis.

C. Insect Control

1. For areas containing standing water less than 3-ft that persist for greater than 7 days, mosquito control may be necessary. Mosquito control should be limited to larvicides applications such as Natular or Vectolex FG, per the EPA and CDC guidance. Larvicide application should be provided by a avalified professional. Contract the North Shore Mosquito Abatement District for service.

1.3 SUBMITTALS

A. Planting Schedule

Submit three (3) copies of the proposed planting schedule showing dates for each type of planting

B. Maintenance Instruction - Landscape Work

Submit two (2) copies of typewritten instructions recommending procedures to be established by the Owner for the maintenance of landscape work for one full year. Submit prior to expiration of required maintenance periods.

Instructions shall include: watering, fertilizing, spraying, mulching and pruning for plant material and trimming groundcover. Instructions for watering, fertilizing and mowing grass areas shall be provided ten (10) days prior to request for inspection for final acceptance. Landscape Architect shall receive copies of all instructions when issued.

- C. Submit two (2) copies of soil test of existing topsoil with recommendations for soil additive requirement to Landscape Architect for review and written approval.
- D. Submit two (2) samples of shredded hardwood bark mulch, erosion control blankets, and all other products and materials as specified on plans to Landscape Architect for review and written approval.
- E. Nursery packing lists indicating the species and quantities of material installed must be provided to the Owner and/or City upon request.

1.4 JOB CONDITIONS

- A. Examine and evaluate grades, soils and water levels. Observe the conditions under which work is to be performed and notify Landscape Architect of unsatisfactory conditions. Do not proceed with the work until unsatisfactory conditions have been corrected in an acceptable manner.
- B. Utilities: Review underground utility location maps and plans; notify local utility

location service; demonstrate an awareness of utility locations; and certify acceptance of liability for the protection of utilities during course of work. Contractor shall be responsible for any damage to utilities or property.

C. Excavation: When conditions detrimental to plant growth are encountered such as rubble fill, adverse drainage conditions or obstructions, notify Landscape Architect before planting.

1.5 GUARANTEES

- A. Guarantee seeded and sodded areas through the specified maintenance period and until final inspection.
- B. Guarantee trees, shrubs, groundcover and perennials for a period of one year after date of acceptance against defects including death and unsatisfactory growth, except for defects resulting from neglect by Owner, abuse or damage by others or unusual phenomena or incidents which are beyond Landscape Installer's control
- C. Native Plantina Area Performance Criteria

1st Full Growing Season: 90% of cover crop shall be established. There shall be no bare areas greater than two (2) square feet in seeded areas. At least 25% of vegetation coverage shall be native, non-invasive species. At least 50% of the emergent species, if planted as plugs shall be alive and apparent.

2nd Full Growing Season: All areas with the exception of emergent zones shall exhibit full vegetative cover. At least 50% of the vegetation coverage shall be native, non-invasive species.

3rd Full Growing Season: At least 75% of vegetation coverage shall be native, non-invasive species. Non-native species shall constitute no more than 25% relative aerial coverage of the planted area. Invasive species for this project shall include the following: Ambrosia artemisiifolia \$ trifida (Common \$ Giant Ragweed), Cirsium arvense (Canada Thistle), Dipsacus laciniatus (Cut-leaved Teasel), Dipsacus sylvestris (Common Teasel), Lythrum salicaria (Purple Loosestrife), Melilotus sp. (Sweet Clover), Phalaris arundinacea (Reed Canary Grass), Phragmites australis (Giant Reed), Fallopia japonica (Japanese Knotweed), Rhamnus cathartica \$ franquia (Common \$ Glossy Buckthorn), Typha sp. (Broadleaf, Narrowleaf, and Hybrid Cattail).

LANDSCAPE WORK PART 2 - PLANT MATERIALS

2.1 LAWN SOD

specified.

Provide strongly rooted sod, not less than two (2) years old and free of weeds and undesirable native grasses. Provide only sod capable of growth and development when planted (yiable, not dormant) and in strips not more than 18" wide x 4' long. Provide sod composed of a 5-way blend of Kentucky Bluegrass such as: Midnight, Allure, Viva, Washington, Liberty.

2.2 LAWN SEED MIXTURE

Grass Seed: Provide fresh, clean, new crop seed complying with the tolerance for purity and germination established by the Official Seed Analysts of North America. Provide seed of the grass species, proportions and maximum percentage of weed seed, as

- A. Lawn Seed Mixture 5 lbs. / 1,000 sq. ft.
- 50% Kentucky Bluegrass (98/85) Cutter Perennial Ryegrass 15%
- Spartan Hard Fescue
- 10% Edge Perennial Ryegrass 10% Express Perennial Ryegrass
- 5% Pennlawn Creeping Red Fescue
- B. Temporary Lawn Seed Mixture 5 lbs. / 1,000 sq., ft.
- 40% Kentucky Bluegrass (98/85) 40% Perennial Ryearass
- 20% Annual Ryegrass
- C. Highlands Fescue Seed Mixture Mixture-7 lbs. / 1,000 sq. ft.
- 25% Discovery Hard Fescue 25% Tiffany Chewinas Fescue
- 25% Florentine Creeping Red Fescue 25% Bighorn Sheeps Fescue
- D. Detention Seed Mixture 7 lbs. / 1000 sq., ft.
- 70% Kentucky 31 Tall Fescue 30% Perennial Ryegrass

2.3 GROUNDCOVERS, PERENNIALS AND ANNUALS

Provide plants established and well-rooted in removable containers or integral peat pots and with not less than the minimum number and length of runners required by ANSI Z60.1 for the pot size shown or listed.

2.4 TREES AND SHRUBS

- A. Name and Variety: Provide nursery grown plant material true to name and variety.
- B. Quality: Provide trees, shrubs and other plants complying with the recommendations and requirements of ANSI Z60.1 "Standard for Nursery Stock" and as further specified.
- C. Deciduous Trees: Provide trees of height and caliper listed or shown and with branching configuration recommended by ANSI Z60.1 for type and species required. Provide single stem trees except where special forms are shown or listed. Provide balled and burlapped (B\$B) deciduous trees.
- D. Deciduous Shrubs: Provide shrubs of the height shown or listed and with not less than the minimum number of canes required by ANSI Z60.1 for the type and height of shrub required. Provide balled and burlapped (B\$B) deciduous shrubs.
- E. Coniferous Evergreen: Provide evergreens of the sizes shown or listed. Dimensions indicate minimum spread for spreading and semi-spreading type evergreens and height for other types. Provide quality evergreens with well-balanced form complying with requirements for other size relationships to the primary dimension shown. Provide balled and burlapped (B\$B) evergreen trees and containerized shrubs.
- F. Inspection: All plants shall be subject to inspection and review at the place of growth or upon delivery and conformity to specification requirements as to quality, right of inspection and rejection upon delivery at the site or during the progress of the work for size and condition of balls or roots, diseases, insects and latent defects or injuries. Rejected plants shall be removed immediately from the site.

2.5 PLANTING SOIL MIXTURE

Provide planting soil mixture consisting of clean uncompacted topsoil (stockpiled at site) for all planting pits, perennial, annual and groundcover areas. Topsoil shall be conditioned based on any recommendations resulting from the soil test in 1.3.C.

2.6 EROSION CONTROL

- A. Lawn Seed Areas Erosion Control Blanket: North American Green DS75, or equivalent approved equal.
- B. Native Areas Erosion Control Blanket: North American Green S150, or equivalent approved equal.
- C. Shoreline and Sloped Berm Areas Erosion Control Blanket: North American Green SC150, or equivalent approved equal. To be installed per manufacturer's recommendations.
- D. Refer to latest Engineering \$ Erosion Control Plans for any areas to receive permanent or long-term blanket installation.
- E. Hydroseed Mulch: Conweb 2000 wood fiber mulch with tackifier. Other mulches may be used subject to approval of Landscape Architect

2.7 MULCH

Provide mulch consisting of premium shredded hardwood bark. Provide sample to Landscape Architect for approval prior to ordering materials.

LANDSCAPE WORK PART 3 - EXECUTION

3.1 PLANTING SCHEDULE

At least thirty (30) days prior to the beginning of work in each area, submit a planting schedule for approval by the Landscape Architect.

3.2 PLANTINGS

A. Sodding New Lawns

- 1. Remove existing grass, vegetation and turf. Dispose of such material legally off-site, do not turn over into soil being prepared for lawns.
- 2. Till to a depth of not less than 6"; apply soil amendments as needed; remove high areas and fill in depressions; till soil to a homogenous mixture of fine texture, remove lumps, clods, stones over 1" diameter, roots and other extraneous matter. Dispose of such material legally off-site.
- 3. Sodded areas shall receive an application of commercial fertilizer at the rate of 10 lbs. per 1,000 sq. ft. and shall have an analysis of 16-8-8.
- 4. Lay sod within 24 hours from time of stripping
- 5. Lay sod to form a solid mass with tightly fitted joints. Butt ends and sides of sod strips; do not overlap. Stagger strips to offset joints in adjacent courses. Work from boards to avoid damage to subgrade or sod. Tamp or roll lightly to ensure contact with subgrade. Work sifted soil into minor cracks between pieces of sod; remove excess to avoid smothering of adjacent
- 6. Water sod thoroughly with a fine spray immediately after planting.

B. Seeding New Lawns

- 1. Remove existing grass, vegetation and turf. Dispose of such material legally off-site. Do not turn over into soil being prepared for lawns.
- 2. Till to a depth of not less than 6"; apply soil amendments; remove high areas and fill in depressions; till soil to a homogenous mixture of fine texture, remove lumps, clods, stones over 1" diameter, roots and other extraneous matter. Dispose of such material legally off-site.
- 3. Seeded lawn areas shall receive an application of commercial fertilizer at the rate of 5 lbs. per 1,000 sq. ft. and shall be 6-24-24. Fertilizer shall be uniformly spread and mixed into the soil to a depth of 1" inches.
- 4. Do not use wet seed or seed which is moldy or otherwise damaged in transit or storaae.
- 5. Sow seed using a spreader or seeding machine. Do not seed when wind velocity exceeds five (5) miles per hour. Distribute seed evenly over entire area by sowing equal quantity in two directions at right angles to each other.
- 6. Sow not less than specified rate.
- 7. Rake lawn seed lightly into top 1" of soil, roll lightly and water with a fine spray.
- 8. After the seeding operation is completed, spray a wood fiber mulch (Conweb 2000 with tackifier or approved equal) over the entire grassed area at the rate of 2,000 lbs. per acre. Use a mechanical spray unit to insure uniform coverage. Exercise care to protect buildings, automobiles and people during the application of the mulch.
- 9. DO NOT MOW HIGHLANDS FESCUE SEED MIXTURE.
- C. Groundcover and Perennial Beds

Groundcover, perennials, and annuals shall be planted in continuous beds of planting soil mixture a minimum of 8" deep. Install per spacing indicated on plan.

D. Trees and Shrubs

- 1. Set balled and burlapped (B\$B) stock plumb and in center of pit or trench with top of ball at an elevation that will keep the root flare exposed upon backfill and mulching. Remove burlap from top and sides of balls; retain on bottoms. When set, place additional topsoil backfill around base and sides of ball and work each layer to settle backfill and eliminate voids and air pockets. When excavation is approximately 2/3 full, water thoroughly before placing remainder of backfill. Repeat watering until no more is absorbed. Water again after placing final layer of backfill
- 2. Dish top of backfill to allow for mulching. Provide additional backfill berm around edge of excavations to form shallow saucer to collect water.
- 3. Mulch pits, trenches and planted areas. Provide not less than 3" thickness of mulch and work into top of backfill and finish level with adjacent finish grades. Maintain exposed root flare at all times.
- 4. Prune only injured or dead branches from flowering trees, if any. Protect central leader of tree during shipping and pruning operations. Prune shrubs to retain natural character in accordance with standard horticultural practices.
- 5. Remove and replace excessively pruned or ill-formed stock resulting from
- 6. The Contractor shall be wholly responsible for assuring that all trees are planted in a vertical and plumb position and remain so throughout the life of this contract and guarantee period. Trees may or may not be staked and guyed depending upon the individual preference of the Contractor; however, any bracing procedure(s) must be approved by the Owner prior to its installation.

3.3 INITIAL MAINTENANCE

- A. Begin maintenance immediately after planting, continuing until final acceptance. A minimum of thirty (30) days.
- B. Maintain planted and seeded areas by watering, rolling/regrading, replanting and implementing erosion control as required to establish vegetation free of eroded or
- C. Highlands Fescue and Native Planting areas are to be mowed only once per spring during the initial three year establishment period.

3.4 CLEAN UP AND PROTECTION

- A. During landscape work, store materials and equipment where directed. Keep pavements clean and work areas and adjoining areas in an orderly condition.
- B. Protect landscape work and materials from damage due to landscape operations, operations by other trades and trespassers. Maintain protection during installation and maintenance periods. Treat, repair or replace damaged landscape work as directed by Landscape Architect.

3.5 INSPECTION AND ACCEPTANCE

- A. The Landscape Architect reserves the right to inspect seeds, plants, trees and shrubs either at place of growth or at site before planting for compliance with requirements for name, variety, size, quantity, quality and mix proportion.
- B. Supply written affidavit certifying composition of seed mixtures and integrity of plant materials with respect to species, variety and source.
- C. Notify the Landscape Architect within five (5) days after completing initial and/or supplemental plantings in each area.
- D. When the landscape work is completed, including maintenance, the Landscape Architect will, upon request, make a final inspection to determine acceptability. After final acceptance, the Owner will be responsible for maintenance.

GROU ATION \geq SPECIFIC BROS. CEVELOPI APE 0D NDSC \geq RE \bigcirc HS

 Ω

HEFINE ATES 800

m s O.

F805a

= 20