


PAVEMENT LEGEND	
	STANDARD DUTY PAVEMENT 1 1/2" BITUMINOUS SURFACE COURSE, HOT-MIX ASPHALT, MIX D, N50 2 1/4" BITUMINOUS BINDER COURSE, HOT-MIX ASPHALT, IL-19, N50 8" AGGREGATE BASE COURSE, TYPE B
	HEAVY DUTY PAVEMENT (STREET PATCHING) PAVEMENT SECTION TO MATCH EXISTING STREET REFER TO CITY "CURB REPLACEMENT" DETAIL (SHEET 11)
	SIDEWALK SEE CITY SIDEWALK DETAIL (SHEET 11)
	CONCRETE PAVEMENT 8" PORTLAND CEMENT CONCRETE PAVEMENT W/ 6 X 6 W.4 WWF 4" COMPACTED AGGREGATE BASE, TYPE B

PAVEMENT MARKING LEGEND	
	24" WHITE STOP BAR
	4" YELLOW LINE
	LETTERS AND SYMBOLS PAVEMENT MARKINGS
	4" YELLOW DIAGONAL AT 45° SPACED 2' O.C.
	W/ 4" YELLOW BORDER
	CITY OF NAPERVILLE CROSSWALK STRIPING (SEE DETAIL)

SIGN LEGEND	
	R1-1 STOP SIGN
	R7-8 HANDICAP PARKING SIGN

SITE DATA	
LOT AREA	2.75 ACRES
PARKING PROVIDED	150 SPACES
HANDICAP PROVIDED	5 SPACES

CONTRACTOR SHALL REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATION OF SIDEWALKS, SIDEWALK SCORING, BENCHES, BIKE RACKS, FLAG POLES, ETC. DIMENSIONS OF VESTIBULE, RAMPS AND TRUCK DOCKS, PRECISE BUILDING DIMENSIONS AND EXACT UTILITY ENTRANCE LOCATIONS.



- SITE DIMENSIONAL AND PAVING NOTES:**
- ALL DIMENSIONS ARE FACE OF CURB TO FACE OF CURB OR BUILDING FOUNDATION UNLESS NOTED OTHERWISE.
  - ALL PROPOSED CURB AND GUTTER SHALL BE B6.12 UNLESS OTHERWISE NOTED.
  - ALL CURB RADI SHALL BE 3' MEASURED TO FACE OF CURB UNLESS NOTED OTHERWISE.
  - THE ALL PROPOSED CURB AND GUTTER TO EXISTING CURB AND GUTTER WITH 2" BARS X 18" LONG DOWNED INTO EXISTING CURB.
  - BUILDING DIMENSIONS AND ADJACENT PARKING HAVE BEEN PREPARED BASED UPON ARCHITECTURAL INFORMATION CURRENT AT THE DATE OF THIS DRAWING. SUBSEQUENT ARCHITECTURAL CHANGES MAY EXIST. THEREFORE CONTRACTOR SHALL REFER TO ARCHITECTURAL PLANS FOR PRECISE BUILDING DIMENSIONS AND NOTIFY THE ARCHITECT AND ENGINEER OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION. BUILDING DIMENSIONS SHOWN SHOULD NOT BE USED FOR CONSTRUCTION LAYOUT OF BUILDING.
  - IMPROVEMENTS ADJACENT TO BUILDING, IF SHOWN, SUCH AS TRUCK DOCK, RETAINING WALLS, SIDEWALKS, CURBING, FENCES, CANOES, RAMPS, HANDICAP ACCESS, PLANTERS, DUMPSTERS, AND TRANSFORMER ETC. HAVE BEEN SHOWN FOR APPROXIMATE LOCATION ONLY. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS, SPECIFICATIONS AND DETAILS.
  - LOCATION OF PRIVATE SIDEWALKS SHALL BE COORDINATED WITH PROPOSED DOORWAY. CONTRACTOR TO VERIFY ACTUAL BUILDING PLAN LOCATIONS WITH ARCHITECT/DEVELOPER PRIOR TO CONSTRUCTING THE SIDEWALKS.
  - ALL ROADWAY AND PARKING LOT SIGNAGE, STRIPING, SYMBOLS, ETC. SHALL BE IN ACCORDANCE WITH LATEST JURISDICTIONAL GOVERNMENTAL ENTITY DETAILS.
  - SOME EXISTING ITEMS TO BE REMOVED HAVE BEEN DELETED FROM THIS PLAN FOR CLARITY. SEE DEMOLITION PLAN FOR ITEMS DELETED.
  - PROVIDE DEPRESSED CURB AND RAMP AT ALL HANDICAP ACCESSIBLE SIDEWALK AND PATH LOCATIONS PER FEDERAL AND STATE STANDARDS.
  - THE CONTRACTOR SHALL CONTACT JULLIE, (1-800-892-0123) PRIOR TO ANY WORK TO LOCATE UTILITIES AND SHALL CONTACT THE OWNER SHOULD UTILITIES APPEAR TO BE IN CONFLICT WITH THE PROPOSED IMPROVEMENT.

MANHARD CONSULTING LTD.

ODYSSEY WEST 1B  
CITY OF NAPERVILLE, ILLINOIS  
SITE DIMENSIONAL AND PAVING PLAN  
PENDING APPROVAL - NOT FOR CONSTRUCTION

PROJ. NO. SMS  
PROJ. ARCH. HCN  
DRAWN BY HCN  
DATE 03-02-18  
SCALE 1"=20'  
SHEET  
3 OF 13  
TMG.NVL01