


FINAL P.U.D. PARCEL INDEX NUMBER 05-32-300-014 08-05-207-036 NAPER COMMONS PROPERTY RECENTLY SUBDIVIDED AND NO ADDRESS LISTED ON COUNTY/CITY WEB SITES UNDERLYING ADDRESS PER NOKIA CAMPUS SUBDIVISION IS 2000 LICENT LANE, NAPERVILLE, ILLINOIS 60563 PARCEL DESCRIPTION LOT 4 IN NOKIA CAMPUS SUBDIVISION, BEING A SUBDIVISION IN PART OF THE NORTH 1/2 OF SECTION 5, TOWNSHIP 38 NORTH, RANGE 10 EAST AND THE SOUTH HALF OF SECTION 32, TOWNSHIP 39 NORTH RANGE 10 EAST OF THE THIRD PRINCIPAL, MERIDIAN, ACCORDING TO THE PLAT THEREOF RECORDED AUGUST 6, 2020 AS DOCUMENT REQUESTED. THE PLAT THEREOF RECORDED AUGUST 6, 2020 AS DOCUMENT REQUESTED. LOT DIMENSIONS & AREAS ARE APPROXIMATIONS & WILL VARY AT TIME OF FINAL PLATTING. SCALE: 1" = 150" SITE DATA 64.71 AC.± R2 PUD 11.83 AC.± 20.03 AC.± 2.06 AC.± 36.20% TOTAL AREA PROPOSED ZONING INTERNAL R.O.W. STORMMATER/WETLAND PRESERVATION/O PARK SITE P.U.D OPEN SPACE CALCULATION LINE LEGEND LOCATION MAP SUBDIVISION BOUNDARY LINE (Heavy Solid Line) UNSUBDIVIDED R-1 DUPAGE COUNTY LOT LINE/PROPERTY LINE (Solid Line) FOREST PRESERVE DISTRICT OF DUPAGE COUNTY 05-32-101-000 N 88'16'19" E 848 G. RESIDENTIAL UNITS: TOWNES (TOWNHOMES) 848.67 EXISTING CORPORATE LIMITS OF THE CITY OF NAPERVILLE (Heavy Dashed Line) FRONT SETBACK CORNER SIDE YARD SETBACK SIDE YARD SETBACK REAR YARD SETBACK 20 FT. 15 FT. 12 FT. 25 FT. 136 137 BUILDING LINE (Long Dashed Lines) 138 BUILDING SEPARATION FRONT TO FRONT REAR TO REAR SIDE TO SIDE REAR TO SIDE FRONT TO SIDE - EASEMENT LINE/LIMITS OF EASEMENT (Short Dashed Lines) 61 FT. 60 FT. 12 FT. 35 FT. 50 FT. 139 WEATHERBEE COURT CENTERLINE (Single Dashed Lines) 140 ADOWS (51' X 120' LOTS) 131 MINIMUM LOT SIZE AVERAGE LOT SIZE MAXIMUM LOT SIZE ABBREVIATIONS 6,120 S.F. 6,838 S.F. 10,613 S.F. 130 NORTH SOUTH EAST WEST NORTH FRONT YARD SETBACK **(MINIMUM 20' WHERE SHOWN ON PLAN) **(MINIMUM 20' WHERE SHOWN ON PLAN) CORNER SIDE YARD SETBACK INTERIOR SIDE YARD SETBACK **INTERIOR SIDE YARD SIDE YARD SIDE YARD SIDE YARD SIDE YARD SIDE YARD SIDE 129 20/25 FT EAST MONTHWEST OCCUMENT FOUND IRON ROD MONTHWEST OCCUMENT FOUND IRON ROD MONTHWEST ON LINE ARC LENGTH ARC LENGTH ARC LENGTH FOUND IRON SETBACK LINE DWELLING UNITS PER ACRE BACK OF CUME FEET MONTH OF WAY ACRE OWELLING UNITS PER ACRE BACK OF CUME PLANNED UNITS PER ACRE BACK OF CUME BACK OF 15 FT. 6 FT. 5 FT. 25 FT. 128 149 HIBBARD ROAD 150 ESTATES (64' X 120' LOTS) 151 126 MINIMUM LOT SIZE AVERAGE LOT SIZE MAXIMUM LOT SIZE UNSUBDIVIDED R-2 DUPAGE COUNTY UNSUBDIVIDED R-1 DUPAGE COUNTY 125 FOREST PRESERVE DISTRICT OF DUPAGE COUNTY FOREST PRESERVE DISTRICT OF DUPAGE COUNTY 154 FRONT YARD SETBACK *(MINIMUM 20' WHERE SHOWN ON PLAN) *(MINIMUM 25' WHERE SHOWN ON PLAN) CORNER SIDE YARD SETBACK INTERIOR SIDE YARD SETBACK REAR YARD SETBACK 124 123 H. TOTAL UNITS I. GROSS DENSITY J. LOT AREA 3.51 DU/AC. 122 52 REQUIRED 6,000 S.F. PER SINGLE FAMILY DETACHED 4,000 S.F. PER SINGLE FAMILY ATTACHED TOTAL 966,000 S.F. 264,000 S.F. 1,230,000 S.F. PROVIDED SINGLE FAMILY DETACHED SINGLE FAMILY ATTACHED TOTAL 1,187,286 S.F. 154,216 S.F. 1,341,502 S.F. HOTES ADDITIONAL P.U. & D.E. EASEMENTS MAY BE REQUIRED ON FINAL PLATS BASED ON UTILITY SIZE AND LOCATIONS FROM FINAL ENGINEERING. DIMENSIONS SHOWN ALONG CURVED LINES ARE ARC DISTANCES. 3. ALL RIGHT-OF-WAYS ARE TO BE PUBLIC DEDICATIONS. 4. ALL STREETS, UTILITY PIPES AND MAINS SHALL BE PUBLICLY OWNED AND MAINTAINED. 5. ALL EASEMENTS DEPICTED ON THIS PLAT WILL BE GRANTED ON THE FINAL SUBDIVISION PLATS (UNLESS OTHERMISE NOTED) ORI CITY OF NAPERVILLE OUTLOT A NOKIA CAMPUS SUBDIVISION PER DOC. R2020-085330 6. ALL EASEMENTS ON THE PLAT MAP ARE FOR PUBLIC UTILITIES AND DRAINAGE PURPOSES (UNLESS OTHERWISE NOTED) 7. STORMWATER MANAGEMENT AND PORMP EASEMENTS WILL BE GRANTED ON THE FINAL SUBDIVISION PLATS (UNLESS OTHERWIS NOTED) OUTLOT H 8. STORMWATER STORAGE VOLUMES TO BE PROVIDED AND THE DESIGN OF STORMWATER MANAGEMENT FACILITIES SHALL BE IN ACCORDACE WITH CITY OF NAPERVILLE AND DUPAGE COUNTY REQUIREMENTS. 9. EASEMENTS TO BE PROVIDED PER CITY AND UTILITY COMPANY REQUIREMENTS. N 24'46'51" V FOR PROPOSED CONTOURS, GRADES, UTILITIES, STREETS AND SIDEWALKS REFER TO THE FINAL ENGINEERING DRAWINGS FOR THIS DEVELOPMENT. N 0715'53" E ALL REQUIRED CERTIFICATES, STATEMENTS AND CITY CLERK RECORDING NOTE WILL BE PROVIDED ON FINAL PLAT. N 53"24"06" E 162 163 BENCHMARKS & CONTROL POINTS ALL R.O.W. DEPICTED ON THIS PLAT WILL BE GRANTED ON THE FINAL SUBDIVISION PLATS (UNLESS OTHERWISE NOTED). 167 THE MEASURED BEARINGS SHOWN HEREON ARE BASED ON THE NORTH LINE OF SUBJECT PROPERTY BEING N 88"16"19" E (ASSUMED). ELEVATION REFERENCE MARK: NAPERVILL SUBVEY MON. #703. BERNSTEN 30 TOP SECURITY MONUMENT C. OF A 9/4° 01 S. STANLESS STELL DATUM POINT ON THEFACED 9/4° X. 4° TOTALING (8) IN LENGTH WITH CREASED TOP SECURITY SLEEVE ENCLOSED IN AND 6° PV. PPE WITH BUNG 6 ALLMINIUM ACCESS COVER. ELEVATION—780.31 (NAVD 88) 39TH STREET 14. SIGNAGE EASEMENT WILL BE PROVIDED ON THE FINAL PLAT 15. ALL REQUIRED MONUMENTATION WILL BE PROVIDED ON THE FINAL SUBDIVISION PLAT R-3 8 DUPAGE COUNTY FARMEADOW UNIT NO. 2 PER. DOC. 833256 ORI CITY OF NAPERVILLE LOT 3 NOKIA CAMPUS SUBDIVISION PER DOC. R2020-085330 06-32-300-015 NOS JOURNAL OF THE STATION IS LOCATED ALONG THE SOUTH SEE OF AMERICALE FOOL (FIG. 175 THE "T INTERSECTION WITH WASHINGTON SPECE THE STATION IS LOCATED ALONG THE SOUTH SEE OF AMERICANIE FOOL, AST OF THE "T" INTERSECTION WITH WASHINGTON SPECE THE STATION OF ALL LOCATE THE STATION OF ALL CANDON OF ALL CONTROLLES OF ALL * WEATHERBEE (16. FOR THE TOWNHOMES, DECKS AND PATIOS WILL NOT EXTEND PAST THE LOT LINE. WRAP AROUND PORCH TO MAY ENCROACH UP TO 5' FROM BULDING SETBACK LINE. S 79'35'31" W/ 17. ALL OUTLOTS (EXCEPT OUTLOT H) TO BE OWNED AND MAINTA BY THE HOMEOWNERS ASSOCIATION. 18. BLANKET P.U.& D.E. OVER ALL OUTLOTS. SEE FINAL PLAT FOR SPECIFICS STATEMENT OF INTENT AND CONCEPT NAPER COMMONS Naper Commons is an open-space centric mixed-residential com consisting of 161 single-family detached residential homes and 6 on an approximately 64- acres sits. With three distinct housing Commons adds to the diversity of the City's housing stock and various needs and desires for a broad spectrum of homebuyers. CONTROL POINTS: N 06*42*10" E 608.19' CP_B12: SET '+' IN THE TOP OF THE EAST SIDE OF THE CONCRETE CURB LOCATED JUST MEST OF THE SALT DOME LOCATED ON THE SUBJECT SITE. MCRIMICH 1875-073. 1041733.7 1041733.7 1041733.7 7,321 8,734 7,756 6,840 6,840 6,660 6,660 6,660 6,660 6,660 6,120 C198 | 181 C224 | 182 C224 | 183 C224 | 183 C224 | 183 C224 | 183 C226 | 183 9,636 6,000 6,100 6,100 6,100 6,100 6,100 6,120 8,607 10,060 10,077 7,680 8,880 8,880 8,880 8,025 6,025 8,880 10,046 9,759 10,470 11,183 10,065 7,760 10,470 11,183 10,065 7,760 8,607 10,569 9,759 8,640 8,607 10,569 8,607 0.221 0.184 0.146 0.146 0.169 0.157 0.150 0.160 0.140 0.171 0.183 0.183 0.183 0.183 0.183 0.183 0.183 0.153 0.153 0.153 0.153 0.153 0.153 0.153 0.153 0.153 0.153 0.153 0.168 0.200 0.174 0.157 0.174 0.175 0.174 0.175 0.152 121 122 123 124 125 126 127 128 129 130 131 132 133 135 136 137 138 140 141 142 143 144 145 151 152 153 154 155 156 157 158 159 ORI 07 P NAPERVILLE (N7 10 P NAPERVILLE (N7 E NAPERVILLE (N7 E N7 101'33" W / 150.61' N 65'41'32" 100.00' CEMCON, Ltd. Consulting Engineers, Lond Surveyors & F 280 White Oak Circle, Suite 100 Aurora, Illinois 60502-9675 PH: 630,862/2100 5' P.U.& D.E. (UNLESS OTHERWIS) NOTED) Aurora, Illinois 60502-9675 PH: 630.862.2100 FAX: 630.862.2199 E-Mail: info@cemcon.com Website: www.cemcor PREPARED FOR: E-Moli: info@cemcon.com | Meosite: www.cemcon.com | Weosite: www.cem PULTE HOME COMPANY, LLC 1900 E. GOLF ROAD, SUITE 300 SCHAUMBURG, IL 60173 (847) 230–5400 EASEMENT X HIBIT B FIRAL P.U.B. FOR MAPER COMMONS GITY OF MAPERVILLE PROJECT MO.. 21-10000001 SHEET 1 OF 5 Copyright @ 2021 Cemicon, Ltd. All rights reserve







OWNER'S CERTIFICATE	OTAL COLUMN SEPTEMBER	
OWNER'S CERTIFICATE. STATE OF ILLINOIS) SS.	CITY COUNCIL CERTIFICATE STATE OF ILLINOIS) SS.	
COUNTY OF COOK)	COUNTY OF BUPAGE)	
THIS IS TO CEPTRY THAT FILET HOME COMPANY, LLC, A MOVIGON LIMITED LIABILITY COMPANY, IS THE OWNER OF THE PROPERTY DESCRIBED ABOVE AND AS SUCH OWNER, HAS CAUSED THE SAME TO BE PLATTED AS SHOWN HEREON, FOR THE USES AND PURPOSES THEREON SET FORTH, AND AS ALLOWED AND PROVIDED BY STATUTES, AND SAID OWNER, DOES HEREOY ACKNOWLEDGE AND ADOPT THE SAME WORR THIS STILE AND THE AFORESMAD.	APPROVED AND ACCEPTED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF NAPERVILLE, ILLINOIS, AT A MEETING HELD	
THE USES AND PURPOSES THEREIN SET FORTH, AND AS ALLOWED AND PROVIDED BY STATUTES, AND SAID OWNER, DOES HEREBY ACKNOWLEDGE AND ADOPT THE	THE DAY OF A.D., 2021.	
DATED AT SCHAUMBURG, IL THIS (DATE) (MONTH)	BY: ATTEST: CITY CLERK	
(DATE) (MONTH) PULTE HOME COMPANY LLC, A OWNER:		
PULTE HOME COMPANY LLC. A OWNER: MICHGAN LAMITED LABELITY COMPANY 1900 E. SCHAUMBURG ROAD ATTEST: SUITE 3:00		
SCHAUMBURG, IL 60173 TITLE:	PLAN COMMISSION CERTIFICATE	
NOTARY'S CERTIFICATE STATE OF ILLINOIS) SS	STATE OF ILLINOIS) SS.	
SS COUNTY OF COOK)	COUNTY OF DUPAGE) APPROVED BY THE CITY OF NAPERVILLE PLAN COMMISSION	
I,A NOTARY PUBLIC IN AND FOR SAID COUNTY IN THE STATE AFORESAID, DO HEREBY CERTIFY THAT,	AT A MEETING HELD THE DAY OF, A.D., 20	
PRINT NAME TITLE AND	BY: ATTEST:	
PRINT NAME TITLE	CHAIRMAN SECRETARY	
FRINT TAME OF SAID WHER, WHO ARE PERSONALLY KNOWN TO ME TO BE THE SAME PERSONS WHOSE NAMES ARE SUBSCREED TO THE FORDOMG INSTRUMENT, AS SUCH TITLE THE		
APPLACED BY THE THIS DAY IN PRECION AND JOINT LAND GRAPHALY ACKNOWLEDGEMENT THEY SOMEON AND DELIVERAD THE MAN GRAPHALY ACKNOWLEDGEMENT THEY SOMEON AND DELIVERAD THE MAN GRAPHANEY TAS THERE OWN FREE AND VOLUNTARY ACT AND AS THE FREE AND VOLUNTARY ACT OF SAD OWNER FOR THE USES AND PROPOSES THEREM SET FORTH.		
OWNER FOR THE USES AND PURPOSES THEREIN SET FORTH. GIVEN UNDER MY HAND AND NOTARIAL SEAL	DUPAGE COUNTY RECORDER'S CERTIFICATE	
THIS DAY OF A.D., 2021.	STATE OF ILLINOIS) SS.	
NOTARY PUBLIC SIGNATURE	COUNTY OF DUPAGE) THIS INSTRUMENT OFFICE OF DUPAGE COUNTY, ILLINOIS, ON THE DAY OF AD. 2021	
PRINT NAME	AT O'CLOCKM.	
	RECORDER OF DEEDS	
MY COMMISSION EXPIRES ON		
LAND SURVEYOR'S CERTIFICATE		
STATE OF ILLINOIS) SS. COUNTY OF DUPAGE)		
I, PETER A. BLAESER, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, #055-003072, HERBY STATE THAT I HAVE SURVEYED AND SUBDIVIDED THE FOLLOWING DESCRIBLE PROPERTY:		
THAT PART OF LOT 4 IN NOKIA CAMPUS SUBDIVISION, BEING A PART OF THE		
THAT PART OF LOT 4 IN NOKIA CAMPUS SUBDIVISION, BEING A PART OF THE NORTH HALF OF SECTION 8, TOWNSHUP 38 NORTH, RANGE 10 EAST OF THE THIRD PRINCIPAL MERIDIAN, ACCORDING TO THE PLAT THEREOF RECORDED AUGUST 6, 2020 AS DOCUMENT R02020—885330, DESCRIBED AS FOLLOWS:		
BEGINNING AT THE NORTHWEST CORNER OF SAID LOT 4; (THE FOLLOWING FOUR COURSES ARE ALONG THE BOUNDARY OF SAID LOT 4); I) THENCE NORTH 88 DECREE 18 MINITES 10 SECONDS FAST 948 67 SEET, 2) THENCE SOUTH OF		
DEGREES 10 MINUTES 19 SECONDS WEST, 846.05 FEET; 2) THENCE SOUTH 05 DEGREES 02 MINUTES 18 SECONDS WEST, 846.05 FEET; 3) THENCE SOUTH 64 DEGREES 55 MINUTES 18 SECONDS FAST 1267.21 FEFT: 4) THENCE SOUTH 06		
DEGREES 07 MINUTES37 SECONDS WEST, 722.11 FEET; THENCE NORTH 83 DEGREES 52 MINUTES 23 SECONDS WEST, 114.14 FEET; THENCE SOUTH 83		
DEGREES 35 MINUTES 31 SECONDS WEST, 160.26 FEET; THENCE NORTH 82 DEGREES 42 MINUTES 29 SECONDS WEST, 872.30 FEET; THENCE SOUTH 70		
AUGUST 6, 2020 AS DOCUMENT F2020-085330, DESCRIBED AS FOLLOWS BEGINNING AT THE NORTHWEST CORNER OF SAID LOT 4; (THE FOLLOWING FOUR COURSES ARE ALONG THE BOUNDARY OF SAID LOT 4; (THE FOLLOWING FOUR COURSES AND MINITES 19 SECONDS EAST, ABAGE FEET, 3) THENCE SOUTH 08 DEGREES 50 MINITES 18 SECONDS EAST, 1267.21 FEET; 4) THENCE SOUTH 06 DEGREES 50 MINITES 18 SECONDS EAST, 1267.21 FEET; 4) THENCE SOUTH 60 DEGREES 52 MINITES 23 SECONDS WEST, 114.14 FEET, THENCE SOUTH 83 DEGREES 52 MINITES 32 SECONDS WEST, 114.14 FEET, THENCE SOUTH 80 DEGREES 34 MINITES 32 SECONDS WEST, 114.14 FEET, THENCE SOUTH 80 DEGREES 34 MINITES 32 SECONDS WEST, 114.14 FEET, THENCE SOUTH 80 DEGREES 34 MINITES 32 SECONDS WEST, 162.20 FEET, THENCE SOUTH 19 DEGREES 34 MINITES 32 SECONDS WEST, 162.30 FEET, THENCE SOUTH 19 DEGREES 34 MINITES 35 SECONDS WEST, 160.30 FEET, THENCE SOUTH 19 DEGREES 36 MINITES 31 SECONDS WEST, 160.30 FEET, THENCE SOUTH 19 DEGREES 36 MINITES 31 SECONDS WEST, 160.30 FEET, THENCE SOUTH 19 DEGREES 36 MINITES 31 SECONDS WEST, 160.30 FEET, THENCE SOUTH 19 DEGREES 36 DEGREES 31 SECONDS WEST, 160.30 FEET, THENCE SOUTH 19 DEGREES 36 DEGREES 31 SECONDS WEST, 160.30 WEST, 160.30 SECONDS WES		
THENCE SOUTH 07 DEGREES 17 MINUTES 31 SECONDS WEST, 18,93 FEET TO A		
SOUTHERLY LINE OF SAID LOT 4; (THE FOLLOWING EIGHT COURSES ARE ALONG THE BOUNDARY LINE OF SAID LOT 4; 1) THENCE NORTH 82 DEGREES 42 MINISTER 29 SEPONDS WEST 107 90 EEET 27 THENCE NORTH 82 DEGREES 24		
MINUTES 29 SECONDS WEST, 197.90 FEET; 2) THENCE NORTH 53 DEGREES 24 MINUTES 06 SECONDS EAST, 26.95 FEET; 3) THENCE NORTH 07 DEGREES 15 MINUTES 53 SECONDS EAST, 16.28 FEET; 4) THENCE NORTH 24 DEGREES 46		
MINUTES 30 SECONDS MEST, 28.17 FEET; 5) THENCE NORTH 20 DECKEES 40 MINUTES 40 SECONDS MEST, 28.17 FEET; 5) THENCE NORTH 42 DECKEES 56 MINUTES 40 SECONDS MEST, 43.68 FEET; 6) THENCE NORTH 45 DECKEES 56 MINUTES 07 SECONDS MEST, 43.68 FEET; 6) THENCE NORTH 64 DECKEES 13 MINUTES 07 SECONDS MEST, 33.68 FEET; 6) THENCE NORTH 64 DECKEES 48 MINUTES 07 SECONDS AST, 13.79 FEET 10 THE POINT OF BEGINNING, IN		
MINUTES 28 SECONDS WEST, 435.63 FEET; 7) THENCE NORTH 84 DEGREES 13 MINUTES 07 SECONDS WEST, 336.37 FEET; 8) THENCE NORTH 05 DEGREES 48 MINUTES 07 SECONDS MEST, 317.7 REST, 117.7 REST, 1		
DUPAGE COUNTY, ILLINOIS		
AND ALSO, THAT PART OF LOT 4 IN NOKIA CAMPUS SUBDIVISION, BEING A PART OF THE		
THAT PART OF LOT 4 IN NOVILA CAMPUS SUIDUNSON, EIRING 4 PART OF THE NORTH HARE OF SECTION, STOWNSHIP 38 NORTH, RANGE 10 EAST OF THE THIRD PRINCIPAL MERDIAN, ACCORDING 10 THE PLAT THEREOF RECORDED AUGUST 6, 2200 AS DOCUMENT RE2020—08530, DESCRIBED AS FOLLOWS: COMMERCING AT THE EASTERNMOST COMMERCE OF 300 THE WEST COMMERCING AT THE EASTERNMOST COMMERCE OF 300 THE WEST COMMERCE AS THE SECOND AS THE WEST COMMERCE AS THE SECOND AS THE WEST COMMERCE AS THE SECOND AS		
COMMENION AT THE EASTERNMOST CORNER OF SAID LOT 4 ON THE WEST LINE OF NAPERVILLE ROAD CONTIGUOUS WITH DANADA WOODS TOWNHOMES RECORDED		
AS DUCUMENT R1999-114382; THENCE SOUTH 24 DEGREES 08 MINUTES 43 SECONDS WEST, 216.21 FEET TO THE NORTHERLY RIGHT OF WAY LINE OF DEDICATED PER PLAT RECORDED AS DOCUMENT		
DEDINATED FOR THE RECORDED SOCIONARY 2021— (THE FOLLOWING TEN COURSES ARE ALONG THE BOUNDARY OF SAID RIGHT OF WAY LINE; 1) THENCE NORTH 65 DEGREES 41 MINUTES 32 SECONDS WEST, 100.00 FEET; 2) THENCE NORTH 71 DEGREES 91 MINUTES 33 SECONDS WEST, 150.61 FEET; 3) THENCE NORTH 65 DEGREES 41 MINUTES 32		
SECONDS WEST, 100.00 FEET; 2) THENCE NORTH 71 DEGREES 01 MINUTES 33 SECONDS WEST, 150.61 FEET; 3) THENCE NORTH 65 DEGREES 41 MINUTES 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH 65 DEGREES 41 MINUTES 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 32 THENCE NORTH MEDITURESTED 32 SECONDS WEST, 153.74 EEFT, 31 THENCE NORTH MEDITURESTED 32 SECONDS WEST,		
SECONDS WEST, 535.74 FEET. 4) THENCE NORTHWESTERLY, 358.84 FEET ALONG A CURVE TO THE RIGHT, HAVING A RADIUS OF 284.00 FEET AND A CHORD BEARING NORTH 29 DEGREES 29 MINUTES 41 SECONDS WEST, 5) THENCE NORTH		
GO DECREES 42 MINUTES 10 SECONDS EAST, 508.19 FEET, 6) THENCE NORTH 83 DECREES 17 MINUTES 50 SECONDS WEST, 68,97 FEET, 7) THENCE SOUTHWESTERLY, 54.65 FEET AND A CURVE TO THE LEFT, HAWNG A RADIUS OF 183.00 FEET AND A CHORD BEARING SOUTH 8B DECREES 60 MINUTES 51		
SECONDS WEST: 8) THENCE SOUTH 79 DEGREES 35 MINUTES 31 SECONDS WEST.		
103.61 FEET; 9) THENCE WESTERLY, 36.14 FEET ALONG A CURVE TO THE RIGHT,		
MINULES 31 SECONDS WEST; 10) HENCE NORTH 82 DEGREES 42 MINULES 29 SECONDS WEST, 901.66 FEET; THENCE NORTH 07 DEGREES 17 MINUTES 31 SECONDS EAST, 17.00 FEET; THENCE NORTHERLY, 14.74 FEET ALONG A CURVE		
TO THE LEFT, HAVING A RADIUS OF 32:00 FEET AND A CHORD BEARING NORTH 05 DEGREES 54 MINUTES 21 SECONDS WEST; THENCE NORTH 19 DEGREES 06		
MINUTES 47 SECONDS EAST, 66.00 FEET; THENCE SOUTH 82 DEGREES 42 MINUTES 29 SECONDS EAST, 872.30 FEET; THENCE NORTH 79 DEGREES 35		
HAWING A RADIUS OF 117.00 FEET AND CHORD BEARING SOUTH 88 DEGREES 26 MINUTES 129 SECONDS WEST, 10) THANKE MORTH 82 DEGREES 2.6 MINUTES 129 SECONDS WEST, 10) THANKE MORTHER 2.6 MINUTES 129 SECONDS EAST, 17.00 FEET, THENCE MORTHERY, 14.74 FEET ALONG A CURVE TO THE LEFT, HAWING A RADIUS OF 32.00 FEET AND A CHORD BEARING NORTH OS DEGREES 3.4 MINUTES 21 SECONDS WEST, THENCE MORTH 19 DEGREES 0.6 MINUTES 13 SECONDS WEST, STAP FEET, THENCE MORTH 19 DEGREES 3.5 MINUTES 31 SECONDS EAST, 872.30 FEET, THENCE MORTH 30 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.30 FEET, THENCE MORTH 30 DEGREES 3.5 MINUTES 33 SECONDS EAST, 872.30 FEET; THENCE MORTH 30 DEGREES 3.5 MINUTES 31 SECONDS EAST, 872.30 FEET; THENCE MORTH 30 DEGREES 3.5 MINUTES 33 SECONDS EAST, 872.30 FEET; THENCE MORTH 30 DEGREES 3.5 MINUTES 33 SECONDS EAST, 872.30 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 31 SECONDS EAST, 872.30 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.30 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.30 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.40 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.40 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.40 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 31 SECONDS EAST, 872.40 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 872.40 FEET; THENCE SOUTH 43 DEGREES 3.5 MINUTES 32 SECONDS EAST, 874.41 FEET TO AN EASTERLY LIVE OF SAUL DT 4.7		
(THE FOLLOWING TWO COURSES ARE ALONG THE BOUNDARY LINE OF SAID LOT 4); 1)THENCE SOUTH OF DEGREES OF MINUTES 37 SECONDS WEST, 722.62 FEET;		
 4): 1)THENCE SOUTH OF DEGREES OF MINUTES 37 SECONDS WEST, 722.62 FEET; THENCE SOUTH 64 DEGREES 54 MINUTES 00 SECONDS EAST, 975.13 FEET TO THE POINT OF BEGINNING, IN DUPAGE COUNTY, ILLINOIS. 		
I HEREBY STATE THAT THE PROPERTY IS WITHIN THE CORPORATE LIMITS OF THE		
I HEREBY STATE THAT THE PROPERTY IS WITHIN THE CORPORATE LIMITS OF THE OTY OF NOFFRULE, LIMINGS, I HEREBY STATE THAT THE CHITY OF NAPFRULE, HAS ADOPTED AN OFFICIAL COMPREHENSIVE PLAN AND IS EXERCISING THE SPECIAL, POWERS AUTHORIZED BY THE STATE OF ILLINOIS ACCORDING TO 65		
ILCS 5/11-12-6 AS HERETOFORE AND HEREAFTER AMENDED.		PREPARED BY:
BASED UPON A REVIEW OF FEDERAL EMERCENCY MANAGEMENT AGENCY (F.E.M.A.) FLOOD INSURANCE RATE MAP PANEL 17043C0153J WTH AN EFFECTIVE DATE OF AUGUST 1, 2019, AND LETTER OF MAP REVISION DATED APRIL 26,		CEMCON. Ltd.
PRISED DOWN A REVIEW OF FLERRAL EMERGED. IMPACEMENT NAKEWY, (F.E.M.A.) FLOOD INSURANCE TALE MAP PANEL 1704SQ015SJ WITH AN EFFECTIVE DATE OF AUGUST 1, 2019, AND LETTER OF MAP REVISION DATED APRIL 26. 2021, IT IS OUR OPINION HAT THE PROPERTY DESCRIBED ABOVE IS IN ZONE X EXCEPT FOR A PORTION OF NON-BULLDABLE OUTLOT C WHICH FALLS WITHIN EXISTING FLOODLAIN LIMITS AD ESIGNATED AND EFFICE BY FEMA.		Consulting Engineers, Land Surveyors & Planners 2280 White Oak Circle, Suite 100
EXISTING FLOODPLAIN LIMITS AS DESIGNATED AND DEFINED BY FEMA. GIVEN UNDER MY HAND AND SEAL AT AURORA, ILLINOIS		Aurora, Illinois 60502-9675 PH: 630.862.2100 E-Moil: info@cmcon.com Website: www.cemcon.com
THIS DAY OF, A.D., 2021.		DISC NO.: 402138 FILE NAME: FINAL PUD
		DRAWN BY: LAL FLD. BK. / PG. NO.: NOTES COMPLETION DATE: 06-18-21 JOB NO.: 402.138 XREF : TOPO PROJECT MANAGER : CRM
PETER A. BLAESER ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3072 MY REGISTRATION EXPIRES ON NOVEMBER 30, A.D., 2022	=> // !!= != =	XREF : TOPO PROJECT MANAGER : CRM ⚠ 07-13-21/A.L: REVISED PER 2021-07-07 CITY COMMENTS